

Corrigendum

NIT No. NIBMG/Data Storage/2026-27/010

Date: 15-05-2026



Eligibility Criteria of Bidders

Sl.	Criteria	Documentary proof to be furnished <i>(File name & page nos. of the supporting documents need to be mentioned)</i>	Please read the Criteria as	Please read the Documentary proof to be furnished <i>(File name & page nos. of the supporting documents need to be mentioned) as</i>
A	The bidder must have a valid trade license. Must be doing similar line of business in India for 10 years	Copy of Trade license. Copy of Relevant work orders.	Either bidder/OEM must have a valid trade license. Must be doing similar line of business i.e. installation of multiple PAC systems in Data centres in India for 5 years.	Copy of Trade license. Copy of Relevant work orders.
B	The Firm/Company must have a registered head office/branch office/service centre in and around Kolkata within 50 km radius for last 5 years	Necessary papers must accompany the technical bid. Enclosed copy of the trade licence.	OEM must have a registered head office/branch office/service centre in and around Kolkata within 50 km radius for last 5 years.	Address proof (Trade license/Incorporation/GST registration document)
D	The firm/company must produce the self-attested photocopies of documents related to allocation of Registration Number, PAN Number, GST registration number, Trade license, Copy of Income Tax return of last 3 years.	Necessary papers must accompany the technical bid.	The firm/company & OEM must produce the self-attested photocopies of documents related to allocation of Registration Number, PAN Number, GST registration number, Trade license, Copy of Income Tax return of last 3 years.	Necessary papers must accompany the technical bid.
G	The bidder must have completed a minimum of three installation of multiple PAC systems in Data centers in government-funded institutions or reputed private organizations within India in the past 5 financial years. Work orders, Project completion and customer satisfaction letters must be submitted.	Copy of work orders & completion certificate.	The bidder/OEM must have completed a minimum of three installation of multiple PAC systems in Data centers in government-funded institutions or reputed private organizations within India in the past 5 financial years. Work orders, Project completion and customer satisfaction letters must be submitted.	Copy of work orders & completion certificate.

Below point to be added in General Terms and Conditions (Annexure-B) of the Tender:

27. Installation & commission must be done by the OEM engineers only for the supplied products through this tender. Both bidders and OEM should issue installation certificates.

Please note: Except for the points mentioned above, all other clauses, terms, conditions, and requirements shall remain unchanged as stipulated in the tender document.

Government eProcurement System		eProcurement System Government of India			
		Published Corrigendum Details			
		Date : 21-May-2026 11:10 AM			
		 Print			
Organisation Chain :		National Institute of Biomedical Genomics HQ-Kalyani - NIBMG			
Tender ID :		2026_NIBMG_908891_1			
Tender Ref No :		NIBMG/Data Storage/2026-27/010			
Tender Title :		NIBMG/Data Storage/2026-27/010			
Corrigendum Type :		Technical Bid			
Corrigendum Document Details					
Corr.No.	Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size(in KB)
1	Technical Bid Corrigendum	Technical Bid Corrigendum	21-May-2026 11:11 AM	Corrigendum.pdf 	223.49